

Zoning Resolution

THE CITY OF NEW YORK

CITY PLANNING COMMISSION

Eric Adams, Mayor

Daniel R. Garodnick, Chair

62-343 - Developments on floating structures

File generated by https://zr.planning.nyc.gov on 12/11/2023

62-343 - Developments on floating structures

LAST AMENDED 2/2/2011

In all districts, the underlying height and setback regulations shall be inapplicable to #developments# on #floating structures#, except for WD #uses# in C8 and #Manufacturing Districts#. In lieu thereof, the provisions of this Section shall apply.

#Base plane# shall be inapplicable for #floating structures#. Height shall be measured from the water line of the #floating structure# to the highest point of the roof or uppermost open deck. However, the following obstructions are permitted to penetrate a height limit:

Chimneys, flues or stacks;

Flagpoles, aerials or masts;

Parapet walls or safety enclosures, not more than four feet high; and

Wire, chain link or other transparent fences.

#Developments# permitted as-of-right pursuant to Section 62-25 shall not exceed a height of 23 feet. #Developments# on #floating structures# pursuant to the special permit provisions of Section 62-834 shall not exceed the height limits set forth in Column A of the table in this Section, except for navigational vessels being repurposed as #floating structures# in accordance with such special permit provisions. Such repurposed vessels shall be subject to the height limits set forth in Column B of the table.

HEIGHT LIMITS FOR FLOATING STRUCTURES

			Column A	Column B
#Residential District#	#Commercial District#	#Manufacturing District#	Maximum Structure Height	Maximum Height of Repurposed Vessels
R1 thru R5	C1 or C2 mapped in R1 thru R5	-	23 ft.	40 ft.

D.	01 02	3/113/12	/0.C	(0.C
R6	C1 or C2	M1-1 M1-2	40 ft.	60 ft.
	mapped in R6	M1-4		
	C4-1			
		M2-1 M2-3		
	C7	M3-1 M3-2		
	C8-1 C8-2 C8-	W13-1 W13-2		
	3			
R7 R8	C1 or C2	M1-3 M1-5	50 ft.	70 ft.
l	mapped in R7	M2 2 M2 /		
	or R8	M2-2 M2-4		
	C1-6 C1-7			
	CF 0 CF 7			
	C2-6			
	C4-2 C4-3 C4-			
	4 C4-5			
	0/10/2			
	C6-1 C6-2			
	C8-4			
R9 R10	C1 or C2	M1-6	60 ft.	150 ft.
	mapped in R9			
	or R10			
	C1-8 C1-9			
	C2-7 C2-8			
	C4-6 C4-7			
	C5			
	C6-3 C6-4 C6-			
	5 C6-6 C6-7			
	C6-8 C6-9			